

発表論文/1990-1994

- [1] Yoon SH, Korai Y, Mochida I, Kato I. The Flow Properties of Mesophase Pitches Derived from Methylnaphthalene and Naphthalene in the Temperature-Range of Their Spinning. *Carbon*. 1994;32(2):273-80.

- [2] Yoon SH, Korai Y, Mochida I. Assessment and Optimization of the Stabilization Process of Mesophase Pitch Fibers by Thermal Analyses. *Carbon*. 1994;32(2):281-7.

- [3] Yoon SH, Korai Y, Mochida I. Pleat Structure of the Mesophase Pitch-Based Carbon-Fiber. *Carbon*. 1994;32(6):1182-6.

- [4] Toshima H, Hino T, Murakami K, Mochida I. Diels-Alder Reaction of Mesophase Pitch Insoluble Fractions with Maleic-Anhydride. *Journal of Materials Science*. 1994 Apr;29(7):1966-72.

- [5] Sakanishi K, Obata H, Mochida I, Sakaki T. Removal and Recovery of Nitrogen and Sulfur-Compounds from Coal-Tar Fractions Using Supported Aluminum Sulfate under Supercritical CO₂ Conditions. *Abstracts of Papers of the American Chemical Society*. 1994 Aug;208:50-FUEL.

- [6] Nakayama Y, Nagao H, Mochida I, Kawabuchi Y. Adsorption of Radon on Active-Carbon. *Carbon*. 1994;32(8):1544-7.

- [7] Mochida I, Yasumoto Y, Watanabe Y, Fujitsu H, Kojima Y, Morita M. Catalytic Dehydrochlorination of 1,2-Dichloroethane into Vinyl-Chloride over Polyacrylonitrile-Based Active-Carbon Fiber (Pan-Acf). *Chemistry Letters*. 1994 Feb(2):197-200.

- [8] Mochida I, Sakanishi K, Sakata R, Honda K, Umezawa T. Design of Recoverable Catalysts for a Multistage Coal-Liquefaction Process. *Energy & Fuels*. 1994 Jan-Feb;8(1):25-30.

- [9] Mochida I, Sakanishi K, Kishino M, Tsutsui K. Design of Multistage Coal-Liquefaction Process for Upgrading and Complete Conversion. *Abstracts of Papers of the American Chemical Society*. 1994 Mar;207:88-FUEL.

- [10] Mochida I, Sakanishi K. Catalysis in Coal Liquefaction. *Advances in Catalysis*, Vol 40 1994:39-85.
- [11] Mochida I, Ling LC, Korai Y. Some Factors for the High Performances of Mesophase Pitch-Based Carbon-Fiber. *Journal of Materials Science*. 1994 Jun;29(11):3050-6.
- [12] Mochida I, Kisamori S, Kawabuchi Y, Kuroda K, Kawano S. Oxidative Removal of SO₂ and Recovery of H₂SO₄ over Polyacrylonitrile-Based Active-Carbon Fiber. *Abstracts of Papers of the American Chemical Society*. 1994 Mar;207:56-FUEL.
- [13] Mochida I, Kisamori S, Hironaka M, Kawano S, Matsumura Y, Yoshikawa M. Oxidation of NO into NO₂ over Active-Carbon Fibers. *Energy & Fuels*. 1994 Nov-Dec;8(6):1341-4.
- [14] Mochida I, Kisamori S, Hironaka M, Kawano S. Oxidation of No into NO₂ over Activated-Carbon Fibers. *Abstracts of Papers of the American Chemical Society*. 1994 Mar;207:51-FUEL.
- [15] Mochida I, Kawano S, Kisamori S, Fujitsu H, Maeda T. Reduction of Low Concentration No with NH₃ over Pitch-Based Active-Carbon Fiber in Humid Air at Ambient-Temperature. *Carbon*. 1994;32(1):175-7.
- [16] Mochida I, Fujiura R, Kojima T, Sakamoto H, Kanno K. Self-Adhesive Carbon Grains Oxidatively Prepared from Naphthalene-Derived Mesophase Pitch for Mold of High-Density. *Carbon*. 1994;32(5):961-9.
- [17] Mochida I, Fujimoto K, Oyama T. Chemistry in the Production and Utilization of Needle Coke. *Chemistry and Physics of Carbon*, Vol 24 1994:111-212.
- [18] Ma XL, Sakanishi KY, Mochida I. Hydrodesulfurization Reactivities of Various Sulfur-Compounds in Diesel Fuel. *Industrial & Engineering Chemistry Research*. 1994 Feb;33(2):218-22.
- [19] Ma XL, Sakanishi K, Mochida I. 3-Stage Deep Hydrodesulfurization and Decolorization of Diesel Fuel with CoMo and NiMo Catalysts at Relatively Low-Pressure. *Fuel*. 1994 Oct;73(10):1667-71.

- [20] Ma X, Sakanishi K, Isoda T, Mochida I. Comparison of Sulfided CoMo/Al₂O₃ and NiMo/Al₂O₃ Catalysts in Deep Hydrodesulfurization of Gas Oil Fractions. Abstracts of Papers of the American Chemical Society. 1994 Aug;208:83-PETR.
- [21] Korai Y, Inoue M, Mochida I, Maeda T. Modification of Precursor Pitch for General Performance Carbon-Fiber by Blending Naphthalene-Derived Isotropic and Mesophase Pitches. Journal of Materials Science. 1994 Jun;29(11):2911-5.
- [22] Kisamori S, Mochida I, Fujitsu H. Roles of Surface Oxygen Groups on Poly(Acrylonitrile)-Based Active-Carbon Fibers in SO₂ Adsorption. Langmuir. 1994 Apr;10(4):1241-5.
- [23] Kisamori S, Kuroda K, Kawano S, Mochida I, Matsumura Y, Yoshikawa M. Oxidative Removal of SO₂ and Recovery of H₂SO₄ over Poly(Acrylonitrile)-Based Active-Carbon Fiber. Energy & Fuels. 1994 Nov-Dec;8(6):1337-40.
- [24] Kanno K, Yoon KE, Fernandez JJ, Mochida I, Fortin F, Korai Y. Effects of Carbon-Black Addition on the Carbonization of Mesophase Pitch. Carbon. 1994;32(5):801-7.
- [25] Isoda T, Ma X, Mochida I. Hydrodesulfurization Reactivities of Alkyldibenzothiophenes over Sulfided Molybdenum Based Catalysts. Abstracts of Papers of the American Chemical Society. 1994 Aug;208:59-PETR.
- [26] Grant DM, Hsu ML, Alderman DW, Pugmire RJ, Mochida I. 2d Nmr-Study in Powdered and Oriented Polymeric Solids. Abstracts of Papers of the American Chemical Society. 1994 Aug;208:110-PMSE.
- [27] Fortin F, Yoon SH, Korai Y, Mochida I. Reorganization of Molecular Alignment in Naphthalene and Methyl-Naphthalene Derived Pitches. Carbon. 1994;32(5):979-89.
- [28] Fortin F, Yoon SH, Korai Y, Mochida I. Structure and Properties of Thin, Slit-Shaped Carbon-Fibers Prepared from Mesophase Pitch. Carbon. 1994;32(6):1119-27.
- [29] Zeng SM, Maeda T, Tokumitsu K, Mondori J, Mochida I. Preparation of Isotropic

Pitch Precursors for General-Purpose Carbon-Fibers (Gpcf) by Air Blowing .2. Air Blowing of Coal-Tar, Hydrogenated Coal-Tar, and Petroleum Pitches. Carbon. 1993;31(3):413-9.

[30] Zeng SM, Maeda T, Mondori J, Tokumitsu K, Mochida I. Preparation of Isotropic Pitch Precursors for General-Purpose Carbon-Fibers (GPCF) by Air Blowing .3. Air Blowing of Isotropic Naphthalene and Hydrogenated Coal-Tar Pitches with Addition of 1,8-Dinitronaphthalene. Carbon. 1993;31(3):421-6.

[31] Yoon SH, Korai Y, Mochida I. Spinning Characteristics of Mesophase Pitches Derived from Naphthalene and Methylnaphthalene with HF/BF₃. Carbon. 1993;31(6):849-56.

[32] Yanagida K, Sasaki T, Tate K, Sakanishi A, Korai Y, Mochida I. Oxidation Reactivity of Mesophase Pitch Derived from C₉ Alkylbenzenes. Carbon. 1993;31(4):577-82.

[33] Tomari Y, Mochida I, Iino M. Lubricating Properties of Mesophase Pitches. Journal of Japanese Society of Tribologists. 1993;38(12):1097-103.

[34] Nagamoto H, Mochida I, Kagotani K, Inoue H, Negishi A. Change of Thermal-Expansion Coefficient and Electrical-Conductivity of LaCO₁-XM_xO₃ (M = Fe, Ni). Journal of Materials Research. 1993 Dec;8(12):3158-62.

[35] Mochida I, Yoon SH, Korai Y. Preparation and Structure of Mesophase Pitch-Based Thin Carbon Tape. Journal of Materials Science. 1993 Apr;28(8):2135-40.

[36] Mochida I, Yoon SH, Korai Y. Control of Transversal Texture in Circular Mesophase Pitch-Based Carbon-Fiber Using Noncircular Spinning Nozzles. Journal of Materials Science. 1993 May;28(9):2331-6.

[37] Mochida I, Sakanishi K, Umczawa T, Yoon SH. Design of Coal-Liquefaction Catalysts with Functions for Recovery and Repeated Use. Abstracts of Papers of the American Chemical Society. 1993 Mar;205:42-FUEL.

[38] Mochida I, Korai Y, Yoon SH. High-Performance, Moderate Cost Mesophase Pitch

Based Carbon-Fibers. Abstracts of Papers of the American Chemical Society. 1993 Mar;205:73-FUEL.

[39] Mochida I, Higashiizumi T, Ishihara Y, Fujitsu H. Spillover in Catalyzes over Co-Phthalocyanines Supported on Titania. *Studies in Surface Science and Catalysis*. 1993;77:321-4.

[40] Matsumoto T, Mochida I. Oxygen Distribution in Oxidatively Stabilized Mesophase Pitch Fiber. *Carbon*. 1993;31(1):143-7.

[41] Maeda T, Zeng SM, Tokumitsu K, Mondori J, Mochida I. Preparation of Isotropic Pitch Precursors for General-Purpose Carbon-Fibers (GPCF) by Air Blowing .1. Preparation of Spinnable Isotropic Pitch Precursor from Coal-Tar by Air Blowing. *Carbon*. 1993;31(3):407-12.

[42] Kisamori S, Kawano S, Mochida I. So₂ and No_x Removal at Ambient-Temperatures Using Activated Carbon-Fibers. Abstracts of Papers of the American Chemical Society. 1993 Mar;205:63-FUEL.

[43] Kisamori S, Kawano S, Mochida I. Continuous Removal of SO₂ in the Model Flue-Gas over Pan-ACF with Recovering Aqueous H₂so₄. *Chemistry Letters*. 1993 Nov(11):1899-902.

[44] Kawano S, Kisamori S, Mochida I, Fujitsu H, Maeda T. Reduction of Low Concentration No with Nh₃ at Ambient-Temperatures over Pitch-Based Active-Carbon Fibers Further Activated with Sulfuric-Acid. *Nippon Kagaku Kaishi*. 1993 Jun(6):694-702. [45] Fujiura R, Kojima T, Kanno K, Mochida I, Korai Y. Evaluation of Naphthalene-Derived Mesophase Pitches as a Binder for Carbon Carbon Composites. *Carbon*. 1993;31(1):97-102.

[46] Fujitsu H, Mochida I, Verheyen TV, Perry GJ, Allardice DJ. The Influence of Modifications to the Surface Groups of Brown Coal Chars on Their Flue-Gas Cleaning Ability. *Fuel*. 1993 Jan;72(1):109-13.

[47] Yoon SH, Park YD, Mochida I. Preparation of Carbonaceous Spheres from Suspensions of Pitch Materials. *Carbon*. 1992;30(5):781-6.

- [48] Yoon SH, Oh SM, Park YD. Oxidation Properties of Mesophase Pitch Prepared by Heterogeneous Nucleation Method. *Journal of Materials Science*. 1992;27:5199-202.
- [49] Toshima H, Mochida I, Korai Y, Hino T. Modification of Petroleum-Derived Mesophase Pitch by Blending Naphthalene-Derived Partially Isotropic Pitches. *Carbon*. 1992;30(5):773-9.
- [50] Sakanishi K, Sun YN, Mochida I, Hidehiko U. Removal and Recovery of Nitrogen-Compounds in Crude Methylnaphthalene Oil Using Aluminum Sulfate Supported on Silica-Gel. *Fuel Processing Technology*. 1992 Dec;32(3):143-9.
- [51] Sakanishi A, Korai Y, Mochida I, Yanagida K, Noda M, Thunori I, Tate K. Comparative-Study of Isotropic and Mesophase Pitches Derived from C9 Alkylbenzenes. *Carbon*. 1992;30(3):459-66.
- [52] Mochida I, Zeng SM, Korai Y, Hino T, Toshima H. Structure and Properties of Mesophase Pitch Carbon-Fiber with a Skin Core Structure Carbonized under Strain. *Journal of Materials Science*. 1992 Apr;27(7):1960-8.
- [53] Mochida I, Yoon S, Korai Y. Preparation of Mesophase Pitch-Based Thin Carbon Tape. *Chemistry Letters*. 1992 Jul(7):1111-4.
- [54] Mochida I, Yasumoto Y, Fujitsu H, Kojima Y. Catalytic Dehydrochlorination of 1,1,2-Trichloroethane (Tce) into 1,1-Dichloroethene (Dce) over Cesium Nitrate Supported on Silica-Gel. *Chemistry Letters*. 1992 Mar(3):461-4.
- [55] Mochida I, Shimizu K, Korai Y, Sakai Y, Fujiyama S, Toshima H, Hono T. Mesophase Pitch Catalytically Prepared from Anthracene with HF BF₃. *Carbon*. 1992;30(1):55-61.
- [56] Mochida I, Kisamori S, Kawano S, Fujitsu H. So₂ Removal Activity and Its Regeneration of Polyacrylonitrile Based Active-Carbon Fiber (Pan-ACF). *Nippon Kagaku Kaishi*. 1992 Dec(12):1429-34.
- [57] Mochida I, Kawano S, Fujitsu H, Maeda T. Reduction of No with Nh₃ in Wet Air at

Room-Temperature over Active-Carbon Fibers Further Activated with Sulfuric-Acid. Nippon Kagaku Kaishi. 1992 Mar(3):275-81.

[58] Mochida I, Kamo T, Fujitsu H. Origins of Remarkable Catalytic Activity of Cobalt Tetraphenylporphyrin Supported on Some Titanias. Langmuir. 1992 Mar;8(3):909-14.

[59] Mochida I, Hirayama T, Kisamori S, Kawano S, Fujitsu H. Marked Increase of SO₂ Removal Ability of Poly(Acrylonitrile)-Based Active-Carbon Fiber by Heat-Treatment at Elevated-Temperatures. Langmuir. 1992 Sep;8(9):2290-4.

[60] Mochida I, Fei YQ, Sakanishi K, Korai Y, Usuba H, Miura K. Carbonization of Coal-Tar Pitch Denitrogenated by Metal Sulfates. Carbon. 1992;30(2):241-6.

[61] Mochida I, Aoyagi Y, Yatsunami S, Fujitsu H. Selective Pyrolysis of Ethane over Pitch Based Carbon-Fiber. Chemistry Letters. 1992 Nov(11):2123-6.

[62] Mochida I. Trends of Carbon-Fibers and Their Composites - Section G - Carbon 92. Erdol & Kohle Erdgas Petrochemie. 1992 Dec;45(12):457-8.

[63] Matsumoto T, Mochida I. A Structural Study on Oxidative Stabilization of Mesophase Pitch Fibers Derived from Coal-Tar. Carbon. 1992;30(7):1041-6.

[64] Korai Y, Mochida I. Molecular Assembly of Mesophase and Isotropic Pitches at Their Fused States. Carbon. 1992;30(7):1019-24.

[65] Oh SM, Yoon SH, Lee GD, Park YD. Effect of Pressurized Pretreatment on the Preparation of Mesophase Pitch. Carbon. 1991;29:1009-14.

[66] Mochida I, Zeng SM, Korai Y, Hino T, Toshima H. The Introduction of a Skin-Core Structure in Mesophase Pitch Fibers through a Successive Stabilization by Oxidation and Solvent-Extraction. Carbon. 1991;29(1):23-9.

[67] Mochida I, Sun YN, Fuiitsu H, Kisamori S, Kawano S. Reduction of Nitrogen Mouoxide by Active-Carbon Fibers Impregnated with Metallic Salts. Nippon Kagaku Kaishi. 1991 Jun(6):885-90.

- [68] Mochida I, Sakanishi K, Usuba H, Miura K. Removal of Basic Nitrogen Species in Coal-Tar Pitch by Metal Sulfates Supported on Silica-Gel. *Fuel*. 1991 Jun;70(6):761-4.
- [69] Mochida I, Motoshima N, Nakagawara H, Korai Y. Multistage Coking for More Tar and Formed-Coke of Higher Strength .4. Formed Coking of Residues Extracted from Heat-Treated Single Coals with a Mixed-Solvent of N-Methylpyrrolidinone and Carbon-Disulfide. *Fuel*. 1991 Apr;70(4):529-32.
- [70] Mochida I, Masumura Y, Hirayama T, Fujitsu H, Kawano S, Gotoh K. Removal of SO-Chi in Flue-Gas by Polyacrylonitrile Based Active-Carbon Fiber (Pan-Acf). *Nippon Kagaku Kaishi*. 1991 Apr(4):269-74.
- [71] Mochida I, Korai Y, Nakamura M, In S, Rhee B. Modification of Isotropic Carbon-Fiber Precursor with PVC Using Tetraline as a Solvent. *Journal of Materials Science Letters*. 1991 Feb;10(3):121-4.
- [72] Mochida I, Korai Y, Azuma A, Kakuta M, Kitajima E. Structure and Stabilization Reactivity of Mesophase Pitch Derived from FCC-Decant Oils. *Journal of Materials Science*. 1991 Sep;26(18):4836-44.
- [73] Mochida I, Korai Y. Future Production of Blast-Furnace Coke at Lower Temperature. *Tetsu to Hagane-Journal of the Iron and Steel Institute of Japan*. 1991 Apr;77(4):471-9.
- [74] Mochida I, Kawano S, Maeda T. Regeneration of ACF Activated with H₂SO₄ for NH₃ Removal with No at Room-Temperature. *Nippon Kagaku Kaishi*. 1991 Sep(9):1177-82.
- [75] Mochida I, Kawano S, Fujitsu H, Maeda T. Regeneration Ability of Pitch Based Active-Carbon Fiber (ACF) with No at Room-Temperature in Wet Air for Adsorptive Capture of Ammonia. *Nippon Kagaku Kaishi*. 1991 Dec(12):1598-604.
- [76] Mochida I, Kawano S. Capture of Ammonia by Active-Carbon Fibers Further Activated with Sulfuric-Acid. *Industrial & Engineering Chemistry Research*. 1991 Oct;30(10):2322-7.

[77] Mochida I, Aoyagi Y, Yatsunami S, Fujitsu H. Pyrolysis of Methane into Higher Hydrocarbons on Carbon-Fiber in a Thin Flat Tube of Quartz Heated by an Infrared Image Furnace. *Journal of Analytical and Applied Pyrolysis*. 1991 Sep;21(1-2):95-102.

[78] Korai Y, Nakamura M, Mochida I, Sakai Y, Fujiyama S. Mesophase Pitches Prepared from Methylnaphthalene by the Aid of HF/BF₃. *Carbon*. 1991;29(4-5):561-7.

[79] Fujitsu H, Sakakihara T, Mochida I. Catalytic Activity for No Decomposition of Cobalt Tetrapropoxyphthalocyanine Supported on Titania. *Chemistry Letters*. 1991 Jan(1):159-62.

[80] Zeng SM, Korai Y, Mochida I, Hino T, Toshima H. The Creation of a Skin-Core Structure in Petroleum Derived Mesophase Pitch Based Carbon-Fiber. *Bulletin of the Chemical Society of Japan*. 1990 Jul;63(7):2083-8.

[81] Sasaki M, Takahashi R, Mochida I. Relation between the Fluorescence Intensity of Vitrinites and the Fluidity of Coals. *Fuel*. 1990 Apr;69(4):529-32.

[82] Sakata R, Takayama A, Sakanishi K, Mochida I. Roles of Nondonor Solvent in the Hydrogen-Transferring Liquefaction of Australian Brown Coal. *Energy & Fuels*. 1990 Sep-Oct;4(5):585-8.

[83] Sakanishi K, Takayama A, Hieida T, Mochida I. Pretreatments of Solid Coals for Their Beneficiation and Structural-Analyses. *Energy & Fuels*. 1990 Sep-Oct;4(5):463-6.

[84] Sakanishi K, Mochida I, Okazaki H, Soeda M. Selective Hydrogenation of 9-Aminoacridine over Supported Noble-Metal Catalysts. *Chemistry Letters*. 1990 Feb(2):319-22.

[85] Park YD, Oh SM, Yoon SH. Preparation of Spinnable Mesophase Pitch by Two Stage Heat Treatment. high temperatures - high pressures. 1990;22:355-61.

[86] Okazaki H, Onishi K, Soeda M, Ikefuji Y, Tamura R, Mochida I. Hydrogenation Pathway of Quinolines over Raney-Nickel and Ru/C. *Bulletin of the Chemical Society of Japan*. 1990 Nov;63(11):3167-74.

- [87] Nesumi Y, Oyama T, Todo Y, Azuma A, Mochida I, Korai Y. Properties of Fluid Catalytic Cracking Decant Oils of Different Origins in Their Single Carbonization and Cocarbonization with a Petroleum Vacuum Residue. *Industrial & Engineering Chemistry Research*. 1990 Sep;29(9):1793-801.
- [88] Mochida I, Zhao XZ, Sakanishi K. Catalytic 2-Stage Hydrocracking of Arabian Vacuum Residue at a High Conversion Level without Sludge Formation. *Industrial & Engineering Chemistry Research*. 1990 Mar;29(3):334-7.
- [89] Mochida I, Zhao XZ, Sakanishi K. Suppression of Sludge Formation by 2-Stage Hydrocracking of Vacuum Residue at High Conversion. *Industrial & Engineering Chemistry Research*. 1990 Dec;29(12):2324-7.
- [90] Mochida I, Zeng SM, Korai Y, Toshima H. The Introduction of a Skin-Core Structure in Mesophase Pitch Fibers by Oxidative Stabilization. *Carbon*. 1990;28(1):193-8.
- [91] Mochida I, Toshima H, Korai Y, Varga T. Comparative-Evaluation of Mesophase Pitches Derived from Coal-Tar and Fcc-Do. *Journal of Materials Science*. 1990 Aug;25(8):3484-92.
- [92] Mochida I, Toshima H, Korai Y, Matsumoto T. A Structural Study on the Stabilization and Enhancement of Mesophase Pitch Fiber. *Journal of Materials Science*. 1990 Jan;25(1A):76-82.
- [93] Mochida I, Toshima H, Korai Y. Solubility of Heat-Resisting Polymers in Mesophase Pitches at Their Spinning Temperatures. *Journal of Materials Science*. 1990 Nov;25(11):4898-905.
- [94] Mochida I, Takayama A, Sakata R, Sakanishi K. Hydrogen-Transferring Liquefaction of an Australian Brown Coal with Polyhydrogenated Condensed Aromatics - Roles of Donor in the Liquefaction. *Energy & Fuels*. 1990 Jan-Feb;4(1):81-4.
- [95] Mochida I, Takayama A, Sakata R, Sakanishi K. Liquefaction of Australian Brown Coal with Mixed-Solvents of Different Qualities and Reactivities of Transferable Hydrogens. *Energy & Fuels*. 1990 Jul-Aug;4(4):398-401.

- [96] Mochida I, Shimizu K, Korai Y, Sakai Y, Fujiyama S. Mesophase Pitch Derived from Isotropic Anthracene Pitch Produced Catalytically with HF/BF₃. *Bulletin of the Chemical Society of Japan*. 1990 Oct;63(10):2945-50.
- [97] Mochida I, Shimizu K, Korai Y, Otsuka H, Sakai Y, Fujiyama S. Preparation of Mesophase Pitch from Aromatic-Hydrocarbons by the Aid of HF/BF₃. *Carbon*. 1990;28(2-3):311-9.
- [98] Mochida I, Nakagawara H, Korai Y. Multistage Coking for Increased Tar Yield and Formed-Coke of High-Strength .3. Multistage Coking of Single Coals. *Fuel*. 1990 Oct;69(10):1253-6.
- [99] Mochida I, Motoshima N, Korai Y, Nakagawara H. Multistage Coking for Increased Tar Yield and Formed-Coke of High-Strength .2. Rapid Heating Carbonization in the Multistage Coking of Weathered Coal Blends. *Fuel*. 1990 Jun;69(6):784-6.
- [100] Mochida I, Motoshima N, Korai Y. Multistage Coking for Increased Tar Yield and Formed-Coke of High-Strength .1. Pressurized Heat-Treatment of Blended Coals. *Fuel*. 1990 Jun;69(6):780-3.
- [101] Mochida I, Kawano S, Fujitsu H. Regenerative Removal of Ammonia in the Atmosphere with Active-Carbon Fibers. *Chemistry Letters*. 1990 Sep(9):1627-30.
- [102] Mochida I, Fei YQ, Sakanishi K, Usuba H, Miura K. Capture and Recovery of Basic Nitrogen Species in Coal-Tar Pitch, Using Nickel Sulfate as Adsorbent. *Chemistry Letters*. 1990 Apr(4):515-8.
- [103] Mochida I, Fei YQ, Korai Y, Oishi T. Cocarbonization of Ethylene Tar Pitch and Coal-Tar Pitch to Form Needle Coke. *Fuel*. 1990 Jun;69(6):672-7.
- [104] Mochida I, Fei YQ, Korai Y. A Study of the Carbonization of Ethylene Tar Pitch and Needle Coke Formation. *Fuel*. 1990 Jun;69(6):667-71.
- [105] Mochida I, Aoyagi Y, Fujitsu H. Pyrolysis of Methane into Higher Hydrocarbons on Carbon-Fibers. *Chemistry Letters*. 1990 Sep(9):1525-6.

[106] Fei YQ, Sakanishi K, Sun YN, Yamashita R, Mochida I. Concentration of Pyrroles and Phenols from Coal-Tar Pitch by Organic-Solvent Extraction. *Fuel*. 1990 Feb;69(2):261-2.